



WATER CAPTURE









www.PerthGreywaterandRainwater.com.au

Mark Harland: 0414 457 244

email: mharland@iinet.net.au

Greywater Products



ITEM	DESCRIPTION	CONDITION OF USE	CODE	PRICE	
PLUG & PLAY - ABOVE GROUND					
 30L Buffer Tank	G-Flow	Manual cleaning of filters	GFGF	700	
 25L Buffer Tank	Grey Flow PS AG Auto 100W Grey Flow PS AG Auto 300W Grey Flow PS AG Auto 400W	Automatic self-cleaning filters	GFPS-AG-S1 GFPS-AG-S3 GFPS-AG-S4	1,950 2,100 2,300	
PLUG & PLAY - BELOW GROUND					
 120L Buffer Tank	Grey Flow PRO PP 100W Grey Flow PRO PP 300W Grey Flow PRO PP 400W	Manual cleaning of filters available with dual filter or reflux valve	GFPRO-PP-M1 GFPRO-PP-M3 GFPRO-PP-M4	1,800 1,950 2,150	
	Grey Flow PRO PP Auto 100W Grey Flow PRO PP Auto 300W Grey Flow PRO PP Auto 400W	Automatic self-cleaning filters with integrated reflux valve	GFPRO-PP-S1 GFPRO-PP-S3 GFPRO-PP-S4	2,500 2,650 2,850	
	GREY WATER IRRIGATION				
		Grey Flow Drip-Tube (100m Coil)	- 7 to 10L/h at 0.3m spacing - For sub-strata installation	GFDL-100	130
		Grey Flow Drip-Tube Kit (100m Coil + 1 punch tool + 25 take-offs)		GFDL-K	160
		Grey Flow Drip-Tube Complete Kit (100m Coil + 1 punch tool + 25 take-offs + 25m of 25mm LDPE + Bar Fittings)		GFDL-CK	250
	Grey Flow 6-way Rotor Valve	Minimum flow rate 10L/m	GFRT-6	160	
	Lilac Low Density Polypipe (Ø25mm 50m Roll)		GF25LDPE-50	100	



WATER CAPTURE








www.PerthGreywaterandRainwater.com.au

Mark Harland: 0414 457 244

email: mharland@iinet.net.au

Greywater Products



ITEM	DESCRIPTION	CONDITION OF USE	CODE	PRICE <i>Prices Exclude GST</i>
2-STAGE INSTALL SYSTEMS FOR NEW HOMES				
STAGE 1:(BUILDERS KIT)				
	<p>Grey Flow PS Builder's Kit</p>	<ul style="list-style-type: none"> - Below Ground - New Homes 	GFPS-A	750
	<p>Grey Flow PRO Builder's Kit with dual filter or reflux valve</p>	<ul style="list-style-type: none"> - Above ground or below ground - New Homes - Commercial 	GFPRO-A	1,300
	<p>600mm dia pit extension</p>	<p>200 to 350mm height extension</p>	GFPRO-EXT	200
STAGE 2:(FINISHING KIT)				
Manual Cleaning Filters				
	<p>GFPS Finishing Kit 100W GFPS Finishing Kit 300W</p>	<p>Filter Maintenance: Every 1-5 Months</p>	GFPS-B-M1 GFPS-B-M3	500 650
 <p>100W 300W 400W</p>	<p>GFPRO Finishing Kit 100W GFPRO Finishing Kit 300W GFPRO Finishing Kit 400W</p>	<p>Max Pump Duty: 100W- 6.5m head -70 lpm flow 300W- 8m head -180 lpm flow 400W- 21m head -180 lpm flow</p>	GFPRO-B-M1 GFPRO-B-M3 GFPRO-B-M4	500 650 850
STAGE 2:(FINISHING KIT)				
Automatic self-cleaning filters				
	<p>GFPS Finishing Kit Auto 100W GFPS Finishing Kit Auto 300W GFPS Finishing Kit Auto 400W</p>	<p>Filter Maintenance: Every 1-2 Years</p>	GFPS-B-S1 GFPS-B-S3 GFPS-B-S4	1200 1350 1550
 <p>100W 300W 400W</p>	<p>GFPRO Finishing Kit Auto 100W GFPRO Finishing Kit Auto 300W GFPRO Finishing Kit Auto 400W</p>	<p>Max Pump Duty: 100W- 6.5m head -70 lpm flow 300W- 8m head -180 lpm flow 400W- 21m head -180 lpm flow</p>	GFPRO-B-S1 GFPRO-B-S3 GFPRO-B-S4	1200 1350 1550



WATER CAPTURE

www.PerthGreywaterandRainwater.com.au

Mark Harland: 0414 457 244

email: mharland@iinet.net.au

Greywater Products



ITEM	DESCRIPTION	CONDITION OF USE	CODE	PRICE
	Grey Flow 6" Filter	For GFPS & GFPRO	GFFT-150	30
	Grey Flow 10" Filter	For GFPRO	GFFT-250	50
	GFlow Filter	For G-Flow	GFFT-290	50
	Grey Flow 100 Watt Pump w/ Float Switch	For GFlow, GFPS & GFPRO	GFPMP-100	400
	Grey Flow 300 Watt Pump w/ Float Switch	For GFPS	GFPMP-300	550
	Grey Flow 400 Watt Pump w/ Float Switch	For GFPS & GFPRO	GFPMP-400	750
	Grey Flow 750 Watt Pump w/ Float Switch	For GFPRO	GFPMP-750	1000
	Air Blower 200 Watt	For GF-SCM	GFSC-PMP	300
	Grey Flow Controller	For GFPS & GFPRO	GF-CNT	300
	Float Switch	For GFPS & GFPRO	GFPS-SNS	50
	25mm Check Valve	For GFPS & GFPRO	GFCV-25	25
	Grey Flow Round Cover	For GFPS	GFPS-RC	250
	Grey Flow Square Cover	For GFPS	GFPS-SQC	250

Prices Exclude GST



WATER CAPTURE










www.PerthGreywaterandRainwater.com.au

Mark Harland: 0414 457 244

email: mharland@iinet.net.au

Greywater Products



ITEM	DESCRIPTION	SPECIFICATIONS	CODE	PRICE
SMALL UNDERGROUND PUMP STATIONS				
	PE Pits			
	AWWS 350L PE	Ø0.6m - 1.25m Tall	WFPT-350	1000
	AWWS 1500L PE	Ø1.5m - 1.5m Tall	WPT-1500	1500
	AWWS 2000L PE	Ø1.5m - 2.2m Tall	WPT-2000	2000
	Alarm with float switch	Audio + Visual	WFAC-1	600
	AWWS Pumps (single phase)			
	Greywater/Drainage	- 300W - 180lpm - Max head 8m	WFBPS-300	550
	Greywater/Drainage	- 400W - 180lpm - Max head 21m	WFBAH-400	750
	Greywater/Drainage	- 750W - 220lpm - Max head 25m	WFBAH-750	1000
	Sewer/Cutter	- 750W - 430lpm - Max head 13m	WFDSK-10A	1250
	Sewer/Grinder	- 1000W - 180lpm - Max head 20m	WFGD-15A	1500
	Cast iron cover upgrade	600mm diameter	WFCI-RC	600

Prices Exclude GST